



TEMA 01

MIGUEL LILLO ROMERO

FORO PHPBB



Índice:

Ejercicio 1	3
a) Instalación	3
b) Cambio idioma	9
c) Creación usuarios plantillas y foros.....	12
d) Extensiones y BBcode	20
d) Subida a internet.....	24

Ejercicio 1

a) Instalación

Solución:

Creamos la base de datos, el usuario y le damos los permisos sobre la base de datos

```

Ubuntu_Joomla [Corriendo] - Oracle VM VirtualBox
Archivo Máquina Ver Entrada Dispositivos Ayuda
Actividades Terminal 27 de nov 09:26
miguel@miguel-IAW: ~
miguel@miguel-IAW:~$ sudo mysql
[sudo] contraseña para miguel:
Welcome to the MySQL monitor.  Commands end with ; or \g.
Your MySQL connection id is 8
Server version: 8.0.34-0ubuntu0.22.04.1 (Ubuntu)

Copyright (c) 2000, 2023, Oracle and/or its affiliates.

Oracle is a registered trademark of Oracle Corporation and/or its
affiliates. Other names may be trademarks of their respective
owners.

Type 'help;' or '\h' for help. Type '\c' to clear the current input statement.

mysql> create database foro;
Query OK, 1 row affected (0,02 sec)

mysql> CREATE USER 'foro'@'localhost' IDENTIFIED BY 'inves';
Query OK, 0 rows affected (0,05 sec)


mysql> GRANT ALL PRIVILEGES ON foro.* TO 'foro'@'localhost';
Query OK, 0 rows affected (0,04 sec)

mysql>
Miguelillo
  
```


Movemos el zip de phpBB a la carpeta HTML los descomprimos




Accedemos por el navegador a la carpeta




Clicamos en install



Le damos permisos



Asignamos un usuario y contraseña



Introducimos los datos de la base de datos

Ubuntu_JOOMLA [Corriendo] - Oracle VM VirtualBox

Archivo Máquina Ver Entrada Dispositivos Ayuda

Actividades Navegador web Firefox 27 de nov 10:18

Install

192.168.60.44/phpBB-3.3.10/phpBB3/install/app.php/install

phpBB
forum software

OVERVIEW INSTALL

Introduction
Check requirements
Set installation data
Installing phpBB

Database configuration

Database type: MySQL with MySQLi Extension

Database server hostname or DSN: localhost
DSN stands for Data Source Name and is relevant only for ODBC installs. On PostgreSQL, use localhost to connect to the local server via UNIX domain socket and 127.0.0.1 to connect via TCP. For SQLite, enter the full path to your database file.

Database server port:
Leave this blank unless you know the server operates on a non-standard port.

Database username: foro

Database password: *****

Database name: foro

Prefix for tables in database: phpbb_
The prefix must start with a letter and must only contain letters, numbers and underscores.

Submit

Miquelillo

Lo dejamos por defecto

Ubuntu_JOOMLA [Corriendo] - Oracle VM VirtualBox

Archivo Máquina Ver Entrada Dispositivos Ayuda

Actividades Navegador web Firefox 27 de nov 10:20

Install

192.168.60.44/phpBB-3.3.10/phpBB3/install/app.php/install

phpBB
forum software

OVERVIEW INSTALL

Introduction
Check requirements
Set installation data
Installing phpBB

Server configuration

Cookie secure: ☒ No ☐ Yes
If your server is running via SSL set this to enabled else leave as disabled. Having this enabled and not running via SSL will result in server errors during redirects.

Force server URL settings: ☒ No ☐ Yes
If set to yes the server settings defined here will be used in favour of the automatically determined values.

Server protocol: http://
This is used as the server protocol if these settings are forced. If empty or not forced the protocol is determined by the cookie secure settings (http:// or https://).

Domain name: 192.168.60.44
The domain name this board runs from (for example: example.com).

Server port: 80
The port your server is running on, usually 80, only change if different.

Script path: /phpBB-3.3.10/phpBB3
The path where phpBB is located relative to the domain name, e.g. /phpBB3.

Submit

Miquelillo

Lo dejamos pro defecto

Ubuntu_Joomla [Corriendo] - Oracle VM VirtualBox

Archivo Máquina Ver Entrada Dispositivos Ayuda

Actividades Navegador web Firefox 27 de nov 10:21

Install

192.168.60.44/phpBB-3.3.10/phpBB3/install/app.php/install

- Introduction
- Check requirements
- Set installation data

Installing phpBB

E-mail configuration

Enable board-wide emails:
If this is set to disabled no emails will be sent by the board at all. Note the user and admin account activation settings require this setting to be enabled. If currently using "user" or "admin" activation in the activation settings, disabling this setting will disable registration.

☒ Enable ☐ Disable

Use SMTP server for email:
Select "Yes" if you want or have to send email via a named server instead of the local mail function.

☒ No ☐ Yes

SMTP server address:

SMTP server port:

Authentication method for SMTP:
Only used if a username/password is set, ask your provider if you are unsure which method to use.

PLAIN

SMTP username:
Only enter a username if your SMTP server requires it.

cosa@cosa.com

SMTP password:
Only enter a password if your SMTP server requires it.
Warning: This password will be stored as plain text in the database, visible to everybody who can access your database or who can view this configuration page.

Submit

Miguelillo

Le ponemos un nombre y una descripción al foro

Ubuntu_Joomla [Corriendo] - Oracle VM VirtualBox

Archivo Máquina Ver Entrada Dispositivos Ayuda

Actividades Navegador web Firefox 27 de nov 10:23

Install

192.168.60.44/phpBB-3.3.10/phpBB3/install/app.php/install

phpBB
forum software

OVERVIEW INSTALL

- Introduction
- Check requirements
- Set installation data

Installing phpBB

Bulletin board configuration

Default language: British English


Title of the board: ForoTaller

Short description of the board: El Foro de Miguel


Submit

Miguelillo

Esperamos a que se instale



Por último una vez instalado borramos la carpeta install



Comprobamos que funcione el foro

Ubuntu_00MLA [Corriendo] - Oracle VM VirtualBox

Actividades Navegador web Firefox 27 de nov 10:27

ForoTaller - Index page

ForoTaller - Index page 2.168.60.44/phpBB-3.3.10/phpBB3/

phpBB ForumTaller
forum software El Foro de Miguel

Quick links: FAQ ACP MCP Notifications Private messages foro

Board Index

It is currently Mon Nov 27, 2023 9:27 am Last visit was: Mon Nov 27, 2023 9:25 am Mark forums read

YOUR FIRST CATEGORY	TOPICS	POSTS	LAST POST
Your first forum Description of your first forum.	1	1	Welcome to phpBB3 by foro Mon Nov 27, 2023 9:24 am

WHO IS ONLINE
In total there are 2 users online :: 1 registered, 0 hidden and 1 guest (based on users active over the past 5 minutes)
Most users ever online was 2 on Mon Nov 27, 2023 9:27 am

Registered users: **foro**
Legend: **Administrators**, **Global moderators**

BIRTHDAYS
No birthdays today

STATISTICS
Total posts 1 • Total topics 1 • Total members 1 • Our newest member **foro**

Board Index Contact us The team Members Delete cookies All times are UTC

Powered by phpBB® Forum Software © phpBB Limited

Miguelillo

BLOQ MAYUS

b) Cambio idioma

Solución:

Customise Language packs

Ubuntu_JOOMLA [Corriendo] - Oracle VM VirtualBox

Archivo Máquina Ver Entrada Dispositivos Ayuda

Actividades Navegador web Firefox 27 de nov 10:28

Manage extensions

192.168.60.44/phpBB-3.3.10/phpBB3/adm/index.php?sid=6c10336cf941

phpBB forum software

GENERAL FORUMS POSTING USERS AND GROUPS PERMISSIONS **CUSTOMISE** MAINTENANCE SYSTEM

You are logged in as:
foro [Logout] [ACP Logout]

EXTENSION MANAGEMENT

- Manage extensions

STYLE MANAGEMENT

- Styles
- Install Styles

LANGUAGE MANAGEMENT

- Language packs**

Extensions Manager

The Extensions Manager is a tool in your phpBB Board which allows you to manage all of your extensions

EXTENSION NAME	CURRENT VERSION
Enabled Extensions	
VigLink	1.0.5

INSTALLING AN EXTENSION

1. Download an extension from phpBB's extensions database
2. Unzip the extension and upload it to the ext/ directory of your phpBB board
3. Enable the extension, here in the Extensions manager

UPDATING AN EXTENSION

Miguelillo

Solo aparece el British English

Ubuntu_JOOMLA [Corriendo] - Oracle VM VirtualBox

Archivo Máquina Ver Entrada Dispositivos Ayuda

Actividades Navegador web Firefox 27 de nov 10:32

Language packs

192.168.60.44/phpBB-3.3.10/phpBB3/adm/index.php?sid=6c10336cf9

phpBB forum software

GENERAL FORUMS POSTING USERS AND GROUPS PERMISSIONS **CUSTOMISE** MAINTENANCE SYSTEM

You are logged in as:
foro [Logout] [ACP Logout]

EXTENSION MANAGEMENT

- Manage extensions

STYLE MANAGEMENT

- Styles
- Install Styles

Language packs


Here you are able to install/remove language packs. The default language pack is marked with an

NAME	LOCAL NAME	ISO	USED BY (INCLUDING)
Installed language packs			
British English *	British English	en	

Miguelillo

Solamente sale el idioma British English, para que salga el español, vamos a tener que obtener el .zip, y extraerlo en la carpeta foro:

(Tendremos que darle a “combinar”)



Ya aparecen los dos idiomas

192.168.60.43/foro_taller/adm/index.php?sid=864c4e24e1d5a799088fe7be1ac85d58&i=acp_language&mode=lan

phpBB forum software

GENERAL FORUMS POSTING USERS AND GROUPS PERMISSIONS CUSTOMISE MAINTENANCE SYSTEM

You are logged in as: foro [Logout] [ACP Logout]

EXTENSION MANAGEMENT Manage extensions

STYLE MANAGEMENT Styles Install Styles

LANGUAGE MANAGEMENT Language packs

Language packs

Here you are able to install/remove language packs. The default language pack is marked with an asterisk (*).

NAME	LOCAL NAME	ISO
Installed language packs		
British English *	British English	en
Spanish (Formal Honorifics)	Español (Usted)	es

Powered by phpBB® Forum Software © phpBB Limited

Cambiamos British English por Español

Ubuntu_Joomla [Corriendo] - Oracle VM VirtualBox

Archivo Máquina Ver Entrada Dispositivos Ayuda

Actividades Navegador web Firefox 27 de nov 10:35

Board settings

192.168.60.44/phpBB-3.3.10/phpBB3/adm/index.php?sid=6c10336cf9415c05fe6

phpBB
forum software

GENERAL FORUMS POSTING USERS AND GROUPS PERMISSIONS CUSTOMISE MAINTENANCE SYSTEM

You are logged in as:
foro [Logout] [ACP Logout]

QUICK ACCESS

- Manage users
- Manage groups
- Manage forums
- Moderator log
- Spiders/Robots
- PHP information

BOARD CONFIGURATION

- Attachment settings
- Board settings**
- Board features
- Avatar settings
- Private message settings
- Post settings
- Signature settings
- Feed settings
- User registration settings
- Spambot countermeasures
- Contact page settings

Board settings

Here you can determine the basic operation of your board, give it a fitting name and description, and among other language.

Board settings

Site name: ForoTaller

Site description: El Foro de Miguel

Main website URL:
If specified, a link to this URL will be prepended to your board's breadcrumbs and the board logo will link to this URL instead of the forum index. An absolute URL is required, e.g. http://www.phpbb.com.

Main website text:
This text will be displayed as a link to your website homepage in the board's breadcrumbs. If not specified, it will default to "Home".

Board index text:
This text is displayed as the board index in the board's breadcrumbs. If not specified, it will default to "Board index".

Disable board:
This will make the board unavailable to users who are neither administrators nor moderators. You can also enter a short (255 character) message to display if you wish.

Default language: British English

Miguelillo

Main website text:
This text will be displayed as a link to your website homepage in the board's breadcrumbs. If not specified, it will default to "Home".

Board index text:
This text is displayed as the board index in the board's breadcrumbs. If not specified, it will default to "Board index".

Disable board:
This will make the board unavailable to users who are neither administrators nor moderators. You can also enter a short (255 character) message to display if you wish.

Default language:

Date format:
The date format is the same as the PHP `date()` function.

Guest timezone:
Timezone to use for displaying times to users who are not logged in (guests, bots). Logged in users set their timezone during registration and can change it in their user control panel.

Board style

Miguelillo

British English

British English

Español (Usted)

UTC

Yes No

25 am D M

Por último Borramos el British English

Language packs

Here you are able to install/remove language packs. The default language pack is marked with an asterisk (*).


[Browse language packs database](#)

NAME	LOCAL NAME	ISO	USED BY (INCLUDING ROBOTS)	OPTIONS
Installed language packs				
British English	British English	en	57	Delete
Spanish (Formal Honorifics) *	Español (Usted)	es	0	Delete


c) Creación usuarios plantillas y foros

Solución:


Para crear un usuario vamos al foro **Registrarse**



Rellenamos los datos



Rellenamos el código de confirmación y enviamos




Confirma que ha sido correctamente creado




Cambiar la plantilla

Primero extraemos la plantilla que queremos instalar en la carpeta styles



Vamos a **Personalizar** y elegimos la plantilla que queremos instalar



Vamos a **General** → **Configuración del sitio** → **Estilo del foro** y seleccionamos el estilo que queremos

Ubuntu_JAW (Joomla,wiki,prestashop y foro) [Corriendo] - Oracle VM VirtualBox

Archivo Máquina Ver Entrada Dispositivos Ayuda

Actividades Navegador web Firefox 27 de nov 10:55

Configuración del Sitio

← → ↻ 192.168.60.43/foro_taller/adm/index.php?sid=15a1d6c

GENERAL FOROS MENSAJES USUARIOS Y GRUPOS PERMISOS PERSONALIZAR MANTEN

Se identificó como:
foro
[Desconectarse] [Desconectarse del P
CA]

ACCESO RÁPIDO

- Administrar usuarios
- Administrar grupos
- Administrar foros
- Registro de moderadores
- Spiders/Robots
- Información de PHP

CONFIGURACIÓN DEL SITIO

- Configuración de adjuntos
- Configuración del Sitio**
- Características del Sitio
- Configuración de avatar
- Configuración de mensajes privados
- Configuración de mensaje
- Configuración de firma
- Configuración de Feeds
- Configuración de registro de usuarios
- Medidas contra el Spam
- Ajustes de la página de contacto
- Ajustes de VigLink

CONFIGURACIÓN DEL SITIO

Aquí puede determinar las operaciones básicas de su Sitio, desde el nombre hasta los mensajes privados.

Configuración del Sitio

Nombre del Sitio: Foro taller

Descripción del Sitio: Este es el foro del taller

URL del sitio web principal:
Si se especifica, un enlace a esta URL se antepondrá a la navegación de su foro y el logo del foro accederá a esta URL en lugar del índice del foro. Se requiere una dirección URL absoluta, por ejemplo, http://www.phpbb.com.

Texto del sitio web principal:
Este texto se mostrará como un enlace a su página web en el foro. Si no se especifica, se usará por defecto "Inicio".

Texto del índice del foro:
Este texto será mostrado en el índice general del foro. Si no se especifica, se usará por defecto "Índice general".

Deshabilitar Sitio:
Esto hará al Sitio inaccesible a los usuarios que no sean ni administradores ni moderadores. Si quiere, también puede introducir un breve mensaje (255 caracteres) para mostrar.

Idioma por defecto: Español (Usted) ▼

Formato de fecha:
El formato de fecha es el mismo que en la función date() de PHP.

Zona horaria para invitados:
Zona horaria a usar para mostrar horarios a usuarios no identificados (invitados, bots). Los usuarios identificados eligen su zona horaria durante el proceso de registro y pueden cambiarla en su Panel de Usuario.

Estilo del foro

Estilo por defecto: Wild West ▼
El estilo por defecto para nuevos usuarios.

Estilo de invitado: Wild West ▼
El estilo del foro para invitados.


COMUNICACIÓN CLIENTE

- Autenticación
- Configuración de email
- Configuración de Jabber


CONFIGURACIÓN DEL SERVIDOR

- Configuración de cookies
- Configuración del servidor
- Configuración de seguridad
- Configuración de carga
- Ayuda de soporte phpBB
- Configuración de búsqueda


Desactivamos la otra plantilla que no queramos usar




Para cambiar las imágenes de la platilla vamos a donde hemos extraído la plantilla y en imágenes remplazamos las imágenes que queramos con el mismo nombre




Para crear una categoría **Crear Foro nuevo**



Seleccionamos en **Tipo de Foro** **Categoría** introducimos el nombre de la categoría y una breve descripción




Crear un foro con contraseña voy a meterlo dentro de esta categoría




He entrado en la categoría y clico en **Crear Foro nuevo**




Cambiamos el nombre y descripción y le añadimos una contraseña



Probamos acceder




Probamos a crear un nuevo tema




Ubuntu_JAW (Joomla,wiki,prestashop y foro) [Corriendo] - Oracle VM VirtualBox

Archivo Máquina Ver Entrada Dispositivos Ayuda



d)Extensiones y BBcode

Vamos a **Mensajes** → **BBCode** → **Añadir un nuevo BBCode**



Introducimos la sintaxis y la función en html un comentario de ayuda a la hora de usar el BBCode y que se muestre

BBCodes « Volver

BBCode es una implementación especial de HTML ofreciendo gran control sobre qué y cómo mostrar algo. Desde esta sección puede añadir, eliminar y editar BBCodes personalizados

Uso de BBCode

Aquí define cómo usar el BBCode. Reemplace las variables de entrada por la marca clave correspondiente (ver abajo)

Ejemplos:

[highlight={COLOR}]{TEXT}/{highlight}

[font={SIMPLETEXT1}]{SIMPLETEXT2}/{font}

Reemplazo HTML

Aquí define el reemplazo HTML por defecto (cada plantilla puede tener su propio reemplazo HTML). ¡No olvide poner las marca claves que usó arriba!

Ejemplos:

{TEXT}

{SIMPLETEXT2}

Línea de ayuda

Este campo contiene el consejo de ayuda del BBCode

Texto de la línea de ayuda


Se utiliza para citar texto la Sintaxis es [Citar=NombreAutor]Texto a citar y contenido[/Citar]

Preferencias


Mostrar en mensajes ☒

Miguelillo

Para utilizar el BBcode, en este caso voy a utilizar un BBcode para citar un texto de otro usuario en quote introducimos el usuario que escribió el mensaje que queremos citar y dentro de las etiquetas el texto citado




Resultado:




Movemos el zip con la extensión a la carpeta **ext/phpbb** y lo descomprimos



Habilitamos la extensión



Vamos a una nueva pestaña que se añade automáticamente llamada **Extensiones** y clicamos en **Add new advertisement**



Ponemos le nombre y

Se identificó como: foro [Desconectarse | Desconectarse del P CA]

ADVERTISMENT MANAGEMENT
[Manage advertisements](#)
[Settings](#)

Add new advertisement

Advertisement settings

Name:
The name is only used to help you identify this advertisement.

Enabled:
If disabled, this advertisement will not be displayed.

Notes:
Enter any notes for this advertisement. These notes are not shown anywhere except in the ACP and are optional.

Code:
Enter the advertisement code here. All code must use HTML markup. BBCode is not supported.

Advertisement banner

Upload a banner:
You may upload an image in JPG, GIF or PNG format. The image will be stored in phpBB's images directory and an HTML IMG tag for the image will automatically be inserted into the ad code text.

Examine... **Upload banner**

Miguelillo

Eliges La posición en la pagina que tendrá el anuncio podemos poner una prioridad para que aparezca más veces en caso de tener varios anuncios en la misma posición que se centre automáticamente en la pagina, el máximo de clics que tendrá antes de que se oculte y el limite de vistas, la fecha en la que empieza a mostrarse y la fecha en la que se oculta el anuncio, po último podemos ocultar el anuncio a un grupo

Advertisement placement

Locations:
Select locations where you want this advertisement displayed. Mouse over a location for a short description of it. If multiple ads use the same location, one ad will be randomly selected to display in that location each time. Use CTRL+CLICK (or CMD+CLICK on Mac) to select/deselect more than one location.

Start visual demo of ad locations

Start the visual demo to open your forum in a new browser window with sample ads in every location. Only you will see the demo, your visitors will see your forum normally. You must deactivate the demo when you are done viewing it (or it will persist for you as you use your forum). The "Click to disable visual demo" button will be available on every page.

Priority:
Set a number between 1 and 10. Advertisements with higher number will be displayed more often when there are multiple ads using the same location.

Display on content pages only:
This ad will only display on pages that contain content. It will not be shown on pages such as the UCP, login, registration, posting, replying, etc. Some advertising platforms (e.g., Google AdSense) require this.

Center this ad automatically:
Set to yes to let this extension center your ad automatically. If this leads to undesired results, use CSS directly in the code to center your ad accordingly.

Advertisement options

Owner:
Assigning an ad owner will give one of your board members permission to view this advertisement's view and click statistics in their User Control Panel. Leave this field blank to not assign an ad owner.

Views Limit:
Set the maximum number of times the ad will be displayed, after which the ad will no longer be displayed. Set 0 for unlimited views.

Clicks Limit:
Set the maximum number of times the ad will be clicked, after which the ad will no longer be displayed. Set 0 for unlimited clicks.

Start Date:
Set the date the advertisement will start and become enabled. Leave this field blank if you do not want the advertisement to start automatically in the future. Please use YYYY-MM-DD format.

End Date:
Set the date the advertisement will expire and become disabled. Leave this field blank if you do not want the advertisement to expire. Please use YYYY-MM-DD format.

Hide advertisement for groups:
Members of selected groups will not see this advertisement. Use CTRL+CLICK (or CMD+CLICK on Mac) to select/deselect more than one group.

Administradores
 Moderadores globales
 Invitados
 Nuevos Usuarios Registrados
 Usuarios registrados
 Usuarios APFCO (COPPA) registrados

Buscar un usuario

Enviar **Limpiar**

Miguelillo

Podemos bloquear addblockers a la web para que se tengan que desactivar al acceder.

GENERAL FOROS MENSAJES USUARIOS Y GRUPOS PERMISOS PERSONALIZAR MANTENIMIENTO SISTEMA **EXTENSIONES**

Se identificó como: foro [Desconectarse | Desconectarse del P CA]

ADVERTISMENT MANAGEMENT
[Manage advertisements](#)
[Settings](#)

Preferencias

Ad Blockers

Ad blocker detected message:
Display a message to visitors using ad blockers, asking or requiring them to disable ad blocking on this forum. If requiring visitors to disable ad blockers, they will not be able to use the forum until they have disabled their ad blocker.

Ask visitors to disable ad blockers

Statistics and Tracking

Count views:
This will enable counting how many times every ad has been displayed. Note, that it adds extra load to the server, so if you do not need this feature, disable it.

Count clicks:
This will enable counting how many times every ad has been clicked. Note, that it adds extra load to the server, so if you do not need this feature, disable it.

Enviar **Limpiar**

Miguelillo


d)Subida a internet

Solución:

Exportamos la base de datos



Importamos la base de datos



Importando en la base de datos "if0_36421746_foro"

Archivo a importar:


El archivo puede ser comprimido (gzip, bzip2) o descomprimido.
Un archivo comprimido tiene que terminar en .[formato].[compresión]. Por ejemplo: .sql.zip
Buscar en su ordenador: Ningún archivo selec. (Máximo: 300MB)

También puede arrastrar un archivo en cualquier página.


Conjunto de caracteres del archivo:



Pasamos los archivos



Modificamos el archivo config.php y lo rellenamos con los valores de nuestra tabla



Probamos a visualizarlo y se ve correctamente

